

The latex-lab-testphase-new-or-2 code

Frank Mittelbach, L^AT_EX Project

v0.86d 2025-05-10

Abstract

This code implements changes to the output routine intended to be moved in the L^AT_EX kernel at some point in the future.

1 Introduction

2 The Implementation

1 `<*package>`

2.1 File declaration

```
2 \ProvidesPackage{latex-lab-testphase-new-or-2}
3     [\ltxlabneworIIdate\space v\ltxlabneworIIversion\space
4     Changes to the output routine]
```

2.2 \@makecol reimplementation

`footnote-floats` (*plug*) If `\DocumentMetadata` is used we use `footnotes-floats` as the default. In 2e compatibility mode this should be changed to `footnotes-floats-legacy`.

```
5 \AssignSocketPlug {build/column/outputbox}{footnotes-floats}
```

`\@makecol@handlesplitfootnotes` This is only an early draft and doesn't do much. Contains incomplete preparation for
`\@makecol@splitfootnotemessagehook` tagging commented out.

TODO: *Interfaces and code will change in the future*

```
6 \def\@makecol@handlesplitfootnotes {%
7 %   \ifx\splitfootnote@continuation\@empty \else
8 %     \setbox\footins\vbox{\splitfootnote@continuation\unvbox\footins}%
9 %     \global\let\splitfootnote@continuation\@empty
10 %   \fi
11   \ifnum\insertpenalties>\z@
12     \@makecol@splitfootnotemessagehook
13 %     \setbox\footins\vbox{\unvbox\footins --- END at split}%
14 %     \gdef\splitfootnote@continuation {--- START after split}%
15   \fi
16 }
17 %\def\splitfootnote@continuation{}
```

This could issue warning if split footnotes are encountered.

```
18 \let \@makecol@splitfootnotemessagehook \@empty
```

(End of definition for \@makecol@handlesplitfootnotes and \@makecol@splitfootnotemessagehook.)

2.3 \@outputpage reimplementation

We still have to deal with various plug setting for tagging: This needs documentation and moving.

default (*plug*)

```
19 \ExplSyntaxOn
```

TODO: *where should these plug declarations go? tagpdf?*

```
20 \NewTaggingSocketPlug{build/page/header}{default}
21 {
22   \__tag_hook_kernel_before_head:
23   #2
24   \__tag_hook_kernel_after_head:
25 }
26 \AssignTaggingSocketPlug{build/page/header}{default}
```

default (*plug*)

```
27 \NewTaggingSocketPlug{build/page/footer}{default}
28 {
29   \__tag_hook_kernel_before_foot:
30   #2
31   \__tag_hook_kernel_after_foot:
32 }
33 \AssignTaggingSocketPlug{build/page/footer}{default}
```

default (*plug*)

```
34 \NewTaggingSocketPlug{build/column/outputbox}{default}
35 {
36   \__tag_check_typeout_v:n { ==>~In~\token_to_str:N \@makecol
37                               \c_space_tl\the\c@page }
38   \tag_mc_add_missing_to_stream:Nn \@outputbox {main}
39 }
```

default (*plug*)

```
40 \NewTaggingSocketPlug{build/column/footins}{default}
41 { \tag_mc_add_missing_to_stream:Nn \footins {footnote} }
```

The two sockets do nothing (default noop) if we are in lua mode. If not they get the default assigned

```

42 \sys_if_engine luatex:F
43 {
44     \AssignTaggingSocketPlug{build/column/outputbox}{default}
45     \AssignTaggingSocketPlug{build/column/footins}{default}
46 }
47 \ExplSyntaxOff

```

3 Replacement for the footmisc package

The replacement for footmisc. If the new code is used, we must replace the package if it is loaded by the user:

```

48 \declare@file@substitution{footmisc.sty}{latex-lab-footmisc.ltx}

```

This can be removed the moment the remaining hooks and sockets have been integrated into footmisc, which will probably not happen before the 2025/11 release.

4 Temp stuff that is related but should go to the kernel

This is the code from latex-lab-footnotes.dtx.

```

49 \input{latex-lab-footnotes.ltx}
50 \</package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		\footins 8, 13, 41	
\AssignSocketPlug 5		footnote-floats (plug) <u>5</u>	
\AssignTaggingSocketPlug .. 26, 33, 44, 45		footnotes-floats (plug) <u>1</u>	
		footnotes-floats-legacy (plug) <u>1</u>	
D		G	
\def 6, 17		\gdef 14	
default (plug) 3, <u>19</u> , <u>27</u> , <u>34</u> , <u>40</u>		\global 9	
\DocumentMetadata <u>1</u>		I	
E		\ifnum 11	
\else 7		\ifx 7	
\ExplSyntaxOff 47		\input 49	
\ExplSyntaxOn 19		\insertpenalties 11	
F		L	
\fi 10, 15		\let 9, 18	

<code>\ltxlabneworIIdate</code>	3	<code>__tag_hook_kernel_after_foot:</code> ..	31
<code>\ltxlabneworIIversion</code>	3	<code>__tag_hook_kernel_after_head:</code> ..	24
N			
<code>\NewTaggingSocketPlug</code>	20, 27, 34, 40	<code>__tag_hook_kernel_before_foot:</code> ..	29
<code>noop (plug)</code>	3	<code>__tag_hook_kernel_before_head:</code> ..	22
P			
Plugs:		TeX and L ^A T _E X 2 _ε commands:	
<code>default</code>	3, 19, 27, 34, 40	<code>\@empty</code>	7, 9, 18
<code>footnote-floats</code>	5	<code>\@makecol</code>	1, 36
<code>footnotes-floats</code>	1	<code>\@makecol@handlesplitfootnotes</code> ...	6
<code>footnotes-floats-legacy</code>	1	<code>\@makecol@splitfootnotemessagehook</code>	6
<code>noop</code>	3	<code>\@outputbox</code>	38
<code>\ProvidesPackage</code>	2	<code>\@outputpage</code>	2
S			
<code>\setbox</code>	8, 13	<code>\c@page</code>	37
<code>\space</code>	3	<code>\declare@file@substitution</code>	48
sys commands:		<code>\splitfootnote@continuation</code>	7, 8, 9, 14, 17
<code>\sys_if_engine luatex:TF</code>	42	<code>\z@</code>	11
T			
tag commands:		<code>\the</code>	37
<code>\tag_mc_add_missing_to_stream:Nn</code>	38, 41	tl commands:	
tag internal commands:		<code>\c_space_tl</code>	37
<code>__tag_check_typeout_v:n</code>	36	token commands:	
		<code>\token_to_str:N</code>	36
U			
		<code>\unvbox</code>	8, 13
V			
		<code>\vbox</code>	8, 13